INTERNATIONAL JOURNAL OF OPTOELECTRONICS, 1992, VOL. 7, NO. 6, 793–799.

INDEX OF AUTHORS (WITH TITLES)

VOLUME 7

Agulló-López, F., *see* Arizmendi, L.
Al-Ramadhan, F. A., *see* Spooncer, R. C.
Amouroux, J. M., *see* Picherit, F.
An, Z., *see* Lianghui, C.
Anastassiou, H. T., Papayannakis, A. G., and Kriezis, E. E.: Determination of the electromagnetic field in curved dielectric waveguides with elliptical cross-section 599
Anbo, W., *see* Xiao-Jun, F.
Arizmendi, L., Cabrera, J. M., and Agulló-López, F.: Material properties and photorefractive behaviour of BSO family crystals 149
Atuchin, V. V., *see* Ziling, C. C.
Bartuch, U., Bräuer, A., Dannberg, P., Hörhold, H-H., and Raabe, D.: Measurement of high nonresonant third-order nonlinearity in MP-PPV waveguides 275
Basheva, Yo., *see* Ilev, I.
Bjarklev, A., *see* Lumholt, O.
Boianov, I., *see* Ilev, I.
Borong, C., *see* Jining, L.
Bräuer, A., *see* Bartuch, U.
Brzozka, Z., *see* Dybko, A.
Cabrera, J. M., *see* Arizmendi, L.
Chaohua, M., *see* Huaide, P.
Chen, J., *see* Lu, Z.
Chen, S., *see* Yin, A.
Chen, X., *see* Lu, Z.
Churbanov, M. F., *see* Devyatykh, G. G.
Cosi, F., *see* Falciai, R.
Čtyroký, J., Janta, J., Prokš, J., and Schröfel, J.: Switching voltage of two-mode-interference (BOA) *X*-cut Ti:$LiNbO_3$ switches . . . 491
Culshaw, B., *see* Jin, W.
Dahl-Petersen, S., *see* Lumholt, O.
Damm, T., Gutewort, R., Stamm, U., and Friedrich, K.: Temperature mapping of integrated circuits by photothermal laser scanning microscopy 181
Dannberg, P., *see* Bartuch, U.
Deming, L., *see* Dexiu, H.

Demokan, M. S.: Operating lifetime of semiconductor laser optical amplifiers 699
Devyatykh, G. G., Churbanov, M. F., Scripachev, I. V., Dianov, E. M., and Plotnichenko, V. G.: Middle infrared As–S, As–Se, Ge–As–Se chalcogenide glass fibres 237
Dexiu, H., Deming, L., Siyuan, Y., Mi, Z., Juxian, H., and Xuefeng, L.: Theoretical and experimental investigations on a novel semiconductor laser amplifier, with input and output sharing a single fibre . . 91
Dianov, E. M., *see* Devyatykh, G. G.
Ding, Z., *see* Lu, Z.
Dingsan, G., *see* Wei, Z.
Docchio, F., and Minoni, U.: A high-frequency sinusoidal phase modulation interferometer for displacement measurements 779
Dong, L., *see* Sabert, H.
Dybko, A., Romaniuk, R. S., Maciejewski, J., and Brzozka, Z.: Fibre-optic pH-sensor 443
Eftimov, T. A.: An experimental study of mode coupling in few-mode fibre-optic couplers by means of selective excitation 285
Eftimov, T. A.: Matrix description of mode coupling along parallel fibre-optic structures 723
Enshun, J., *see* Wei, Z.
Falciai, R., Schena, A., and Cosi, F.: Micro-optic and fuse-and-pull: Two techniques for the realization of optical fibre WDM 349
Fang, X. J., Jin, X. D., Jang, T., and Lin, J. X.: Studies of a photoelastic fibre optic pressure sensor 765
Friedrich, K., *see* Damm, T.
Gangopadhyay, R., and Majumder, S. P.: Heterodyne optical ASK and FSK system performance with convolutional coding 267
Ghadirli, S., Kumar, A., and Thyagarajan, K.: Design considerations of a dual-mode/single-mode waveguide modal filter 409
Goel, T. C., *see* Pillai, P. K. C.
Gomez-Reino, C.: GRIN optics and its application in optical connections 607
Gong, J., *see* Ruifu, L.
Götz, B., Karthe, W., and Martin, B.: Fast optoelectronic switching driven by optical waves 281
Guisheng, P., *see* Huaide, P.
Gutewort, R., *see* Damm, T.
Hai, M., Jianping, X., Hui, Z., Yuesheng, S., Nong, C.: Measuring aberrations of a gradient-index rod lens with holographic shearing interferometry 53
Hatakoshi, G., and Uematsu, Y.: InGaAlP visible-light laser diodes 359
Henry, W. M.: Fibre acoustic modes and stimulated Brillouin scattering 453
Hills, P. C., and Stuart, A. D.: The application of glass transition effects to optical fibre sensors 687
Honghai, G., *see* Wei, W.
Hörhold, H-H., *see* Bartuch, U.
Hu, W. H., Wang, C. F., Tang, W. Z., Zhou, W., and Zhou, J. H.: Coupling loss analysis and GRIN lens application in a single-crystal optical fibre high-temperature thermometer 121

Huaide, P., Xiaoyu, M., Chaohua, M., Shenglian, Z., Xiaojie, W., and Guisheng, P.: 1.3 μm and 1.5 μm InGaAsP/InP p-type InP substrate buried crescent (PBC) laser diodes with low threshold current and high efficiency 79
Hui, L., *see* Wei, W.
Hui, Z., *see* Hai, M.
Huiliang, T., *see* Wei, W.
Ilev, I., Koprinkov, I., Kortenski, T., Basheva, Yo., and Boianov, I.: A stimulated near-infrared continuum in an optical fibre taper used as a direct laser-cavity output 681
Jang, T., *see* Fang, X. J.
Janta, J., *see* Čtyroký, J.
Jiangang, H., *see* Zhenrong, H.
Jianhe, Z., *see* Qiming, W.
Jianmeng, L., *see* Qiming, W.
Jianping, X., *see* Hai, M.
Jianxing, L., and Shuangbin, Z.: A new method for simplifying the transform between the near- and the far-field of single-mode fibres 19
Jiawei, S., *see* Wei, Z.
Jin, W., Uttamchandani, D., Culshaw, B., and Zhang, W.: Joint between polarization-preserving fibres based on birefringence phase modulation 565
Jin, X. D. *see* Fang, X. J.
Jingming, Z., *see* Lianghui, C.
Jingyuan, Z., *see* Wei, W.
Jining, L., Borong, C., and Shouyao, S.: The research of Ti:$LiNbO_3$ 2 Δn-type crossing waveguide modulators 41
Jiu-Lin, Z., *see* Shouyao, S.
Jones, B. E., *see* Spooncer, R. C.
Junhua, G., *see* Wei, W.
Jun-Xiu, L., *see* Xiao-Jun, F.
Junying, X., *see* Lianghui, C.
Juxian, H., *see* Dexiu, H.
Karthe, W., *see* Götz, B.
Kawaguchi, H.: Bistable laser diodes and their applications for photonic switching 301
Koprinkov, I., *see* Ilev, I.
Kortenski, T., *see* Ilev, I.
Kriezis, E. E., *see* Anastassiou, H. T.
Kumar, A., *see* Ghadirli, S.
Kuneva, M., *see* Ziling, C. C.
Kuritani, T., *see* Saito, M.
Lalov, I. J., Shivarova, A. P., and Todorov, P. P.: Circularly-birefringent optical fibres 479
Larsen, C. C., *see* Lumholt, O.
Lianghui, C., Junying, X., Likang, L., Jingming, Z., An, Z., Zheng, F. F., Yiping, Z., Zao, S. D., and Ying, K. M.: MBE growth and quantum well lasers 71
Likang, L., *see* Lianghui, C.

Liming, W., *see* Wei, W.
Lin, J. X., *see* Fang, X. J.
Lin, Z-Q., *see* Liu, Y-Q.
Liu, Y-Q., and Lin, Z-Q.: A closed-loop fibre-optic gyroscope with pulse-modulated light source 111
Lu, Z., Ding, Z., Chen, J., Chen, X., Ye, L., and Tang, X.: The stable growth of single-crystal fibres 31
Lumholt, O., Bjarklev, A., Dahl-Petersen, S., Larsen, C. C., Povlsen, J. H., Rasmussen, T. P., and Rottwitt, K.: Microbending in optical fibres utilized as a simple and accurate low-temperature sensor 753
Maciak, T.: Characterization of proton exchanged optical waveguides in z cut $LiTaO_3$ 557
Maciejewski, J., *see* Dybko, A.
Majumder, S. P., *see* Gangopadhyay, R.
Martens, G.: Fibre optic photoelastic sensors 385
Martin, B., *see* Götz, B.
Massaloux, J. C., *see* Picherit, F.
Mi, Z., *see* Dexiu, H.
Minoni, U., *see* Docchio, F.
Miyagi, M., *see* Saito, M.
Muhammad, F. A., and Stewart, G.: Polarised finite-difference analysis of D-fibre and application for chemical sensing 705
Müller, R., *see* Richter, Th.
Nakwaski, W.: Diffraction synchronization of gain-guided arrays of diode lasers 575
Nakwaski, W.: Threshold analysis of vertical-cavity surface-emitting diode lasers 195
Naulevade, F., *see* Picherit, F.
Nijhawan, S. K., *see* Pillai, P. K. C.
Nishihara, H., *see* Ura, S.
Nishii, J., Yamashita, T., Tamagishi, T., Tanaka, C., and Sone, H.: As_2S_3 fibre for infrared image bundle 209
Nong, C., *see* Hai, M.
Oh, Eui-Seok, *see* Park, Duk-Won.
Pandey, N. K., *see* Pillai, P. K. C.
Papayannakis, A. G., *see* Anastassiou, H. T.
Park, Duk-Won, and Oh, Eui-Seok.: Development of a soil testing method using laser holographic interferometry 255
Paulicka, I., *see* Zhang, J.
Picherit, F., Naulevade, F., Massaloux, J. C., and Amouroux, J. M.: Network of microprocessors power-supplied by optical fibres: intelligent temperature and pressure sensors 225
Pillai, P. K. C., Goel, T. C., Pandey, N. K., and Nijhawan, S. K.: Optical-fibre sensor for the study of structural defects 429
Plesea, L. I., *see* Podoleanu, A. Gh.
Plotnichenko, V. G., *see* Devyatykh, G. G.
Podoleanu, A. Gh., and Plesea, L. I.: Bistable behaviour in wavelength of a tunable optical waveguide directional coupler filter with feedback 533
Povlsen, J. H., *see* Lumholt, O.

Prokš, J., *see* Čtyroký, J.
Qiming, W., Ronghan, W., Shiming, L., Jianmeng, L., Jianhe, Z., Wenxu, L., Quansheng, Z., and Shouwu, W.: Investigation of semiconductor CCTS bistable laser diodes 85
Quansheng, Z., *see* Qiming, W.
Raabe, D., *see* Bartuch, U.
Rasmussen, T. P., *see* Lumholt, O.
Renner, H.: Reliability of the bending technique for measuring the effective cut-off wavelength in depressed-cladding fibres 425
Renner, H.: Simple coefficients for the length dependence of the effective cut-off wavelength in optical single-mode fibres 417
Richter, Th., and Müller, R.: Determination of thermo-optical and electro-optical coefficients using waveguide resonators 551
Romaniuk, R. S., *see* Dybko, A.
Ronghan, W., *see* Qiming, W.
Rottwitt, K., *see* Lumholt, O.
Ruifu, L., Xiaochun, X., Gong, J., and Yianyu, Z.: Investigation and application of an optical fibre liquid level sensor 117
Russell, P. St. J., *see* Sabert, H.
Russo, N. A., and Sicre, E. E.: Optical surface roughness measurement using an image speckle pattern at defocus planes 773
Sabert, H., Dong, L., and Russell, P. St. J.: Versatile acousto-optical flexural wave-modulator, filter and frequency shifter in dual-core fibre 189
Saito, M., Miyagi, M., Kuritani, T., and Tanei, F.: Radiation thermometer and gas sensor using chalcogenide glass fibres 375
Savatinova, I., *see* Ziling, C. C.
Schena, A., *see* Falciai, R.
Schröfel, J., *see* Čtyroký, J.
Scripachev, I. V., *see* Devyatykh, G. G.
Senlu, X., Xiaoxin, X., Weizhi, W., and Yonghang, S.: The analysis of the coupling efficiency between the Gaussian modes 11
Shenglian, Z., *see* Huaide, P.
Sherief, H. T., *see* Siddiqui, A. S.
Shi, H., *see* Xiao-Jun, F.
Shiming, L., *see* Qiming, W.
Shivarova, A. P., *see* Lalov, I. J.
Shouwu, W., *see* Qiming, W.
Shouyao, S., and Jiu-Lin, Z.: A fibre-optics sensor for the measurement of stress in optical coatings 129
Shouyao, S., *see* Jining, L.
Shuangbin, Z., *see* Jianxing, L.
Sicre, E. E., *see* Russo, N. A.
Siddiqui, A. S., and Sherief, H. T.: A liquid crystal cell based polarization-lock loop for use in coherent optical fibre communication systems 217
Siddiqui, A. S., and Siddiqui, Z. S.: A fast polarization sampling system to characterize polarization noise in fibre transmission systems . 221
Siddiqui, Z. S., *see* Siddiqui, A. S.
Siyuan, Y., *see* Dexiu, H.

Sochor, V., *see* Zhang, J.
Sone, H., *see* Nishii, J.
Spooncer, R. C., Al-Ramadhan, F. A., and Jones, B. E.: A humidity sensor using a wavelength-dependent holographic filter with fibre optic links 449
Stamm, U., *see* Damm, T.
Stewart, G., *see* Muhammad, F. A.
Stuart, A. D., *see* Hills, P. C.
Suhara, T., *see* Ura, S.
Sun, D., *see* Yin, A.
Tamagishi, T., *see* Nishii, J.
Tanaka, C., *see* Nishii, J.
Tanei, F., *see* Saito, M.
Tang, W. Z., *see* Hu, W. H.
Tang, X., *see* Lu, Z.
Thyagarajan, K., *see* Ghadirli, S.
Todorov, P. P., *see* Lalov, I. J.
Tomita, M.: Diffraction by the periodic groove structure formed on a thin-film waveguide 497
Uematsu, Y., *see* Hatakoshi, G.
Ura, S., Suhara, T., and Nishihara, H.: Coplanar grating lens in AlGaAs waveguide 437
Uttamchandani, D., *see* Jin, W.
Walker, S. D., *see* Yaseen, M.
Wang, C. F., *see* Hu, W. H.
Wei, W., Jingyuan, Z., Huiliang, T., Yubo, M., Xiaojie, W., Zhaohua, M., Liming, W., Hui, L., Junhua, G., and Honghai, G.: 1.5 μm InGaAsP/InP RW–DFB laser 63
Wei, Z., Yushu, Z., Jiawei, S., Enshun, J., and Dingsan, G.: High-speed 1.3 μm InGaAsP/InP mesa-structure edge-emitting LED . . . 59
Weizhi, W., *see* Senlu, X.
Wenxu, L., *see* Qiming, W.
Wu-Qun, H., and Yan-Xin, Z.: A Monte Carlo learning algorithm for clipped neural network model 133
Xiao-Jun, F., Anbo, W., Shi, H., and Jun-Xiu, L.: A compensation technique for amplitude optical fibre sensors 547
Xiaochun, X., *see* Ruifu, L.
Xiaojie, W., *see* Huaide, P.
Xiaojie, W., *see* Wei, W.
Xiaoxin, X., *see* Senlu, X.
Xiaoyu, M., *see* Huaide, P.
Xuefeng, L., *see* Dexiu, H.
Yamashita, T., *see* Nishii, J.
Yang, X. L.: Advances in optoelectronics in China 3
Yanping, S., *see* Yanzin, Z.
Yanxin, Z., and Yanping, S.: A 2-dimensional optical neural network with parallel thresholding and feedback 139
Yan-Xin, Z., *see* Wu-Qun, H.
Yaseen, M., and Walker, S. D.: A novel optoelectronic sampling technique

for time division multiple access network applications . . . 589
Ye, L., *see* Lu, Z.
Yianyu, Z., *see* Ruifu, L.
Yin, A., Chen, S., and Sun, D.: A fibre-optic lever and its application in a hydrophone 103
Ying, K. M., *see* Lianghui, C.
Yiping, Z., *see* Lianghui, C.
Yonghang, S., *see* Senlu, X.
Yubo, M., *see* Wei, W.
Yuesheng, S., *see* Hai, M.
Yushu, Z., *see* Wei, Z.
Zao, S. D., *see* Lianghui, C.
Zhang, J., Paulicka, I., and Sochor, V.: Quantum non-demolition measurement of the photon number by counter-propagating beams in a single-mode optical fibre 759
Zhang, W., *see* Jin, W.
Zhaohua, M., *see* Wei, W.
Zheng, F. F., *see* Lianghui, C.
Zhenrong, H., and Jiangang, H.: A narrow linewidth frequency-stabilized coherent optical source controlled by single-chip microcomputer 57
Zhou, J. H., *see* Hu, W. H.
Zhou, W., *see* Hu, W. H.
Ziling, C. C., Atuchin, V. V., Savatinova, I., and Kuneva, M.: Proton exchanged and post-exchange annealed $LiTaO_3$ waveguides . . 519